



# LED DRIVER • AW-SERIES









## ANWAY LED DRIVER AW02-24VN75 75W 500MA 24V CV

**SKU:** 00013807

## ANWAY LED DRIVER AW06-24VG50 50W 350MA 24V CV

**SKU:** 00013806

- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20


ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685

- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Flimmerfrei

| | |
|---|---|
| Version | CV [Constant Voltage] |
| Output Power | above 70 Watt |
| Output Current | 500 mA |
| Brand | Anway |



## ANWAY LED DRIVER AW06-700C12 12W 700MA 9-18V

**SKU:** 00013805

- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Flimmerfrei

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 10 Watt |
| Output Current | 700 mA |
| Brand | Anway |

- Flimmerfrei

| | |
|---|---|
| Version | CV [Constant Voltage] |
| Output Power | above 50 Watt |
| Output Current | 350 mA |
| Brand | Anway |







## ANWAY LED DRIVER AW06-350R07 7W 350MA 10-20V

**SKU:** 00013804


- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Flimmerfrei

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | below 10 Watt |
| Output Current | 350 mA |
| Brand | Anway |









## ANWAY LED DRIVER AW06-24VC15 15W 100MA 24V CV

**SKU:** 00013762

- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Flimmerfrei


| | |
|---|---|
| Version | CV [Constant Voltage] |
| Output Power | above 10 Watt |
| Output Current | 100 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW06-24SL20 20W 250MA 24V CC

**SKU:** 00013761

- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Flimmerfrei

| | |
|---|---|
| Version | CV [Constant Voltage] |
| Output Power | above 20 Watt |
| Output Current | 250 mA |
| Brand | Anway |








# ANWAY LED DRIVER AW06-300R07 7W 300MA 12-24V

**SKU:** 00013760

- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Flimmerfrei

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | below 10 Watt |
| Output Current | 300 mA |
| Brand | Anway |



# ANWAY LED DRIVER AW06-500C15 15W 500MA 15-30V

**SKU:** 00013759

- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Flimmerfrei

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 10 Watt |
| Output Current | 500 mA |
| Brand | Anway |







## ANWAY LED DRIVER AW06-700J20 20W 700MA 15-29V

**SKU:** 00013754

- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Flimmerfrei

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 20 Watt |
| Output Current | 700 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW02-500SL21 21W 500MA 26-42V

**SKU:** 00013751


- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Flimmerfrei & dimmbar

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 20 Watt |
| Output Current | 500 mA |
| Brand | Anway |









ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de


Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685

## ANWAY LED DRIVER AW06-24VC12 12W 800MA 24V CV

**SKU:** 00013750

- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Flimmerfrei

| | |
|---|---|
| Version | CV [Constant Voltage] |
| Output Power | above 10 Watt |
| Output Current | 800 mA |
| Brand | Anway |





## ANWAY LED DRIVER AW06-24VE15 15W 100MA 24V CV

**SKU:** 00013749

- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Flimmerfrei

| | |
|---|---|
| Version | CV [Constant Voltage] |
| Output Power | above 10 Watt |
| Output Current | 100 |
| Brand | Anway |




## ANWAY LED DRIVER AW06-12VXL40 40W 350MA 12V CV

**SKU:** 00013746-1

- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Flimmerfrei

| | |
|---|---|
| Version | CV [Constant Voltage] |
| Output Power | above 40 Watt |



## ANWAY LED DRIVER AW06-700R07 7W 700MA 3-11V

**SKU:** 00013747

- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685

| | |
|---|---|
| Output Current | 350 mA |
| Brand | Anway |




## ANWAY LED DRIVER AW06-500J20 20W 500MA 20-40V

**SKU:** 00013743


- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Flimmerfrei

| | |
|---|---|
| Version | CV [Constant Voltage] |
| Output Power | above 20 Watt |
| Output Current | 500 mA |
| Brand | Anway |

- Flimmerfrei

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | below 10 Watt |
| Output Current | 700 mA |
| Brand | Anway |




## ANWAY LED DRIVER AW06-12VE15 15W 100MA 12V CV

**SKU:** 00013746

- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Flimmerfrei

| | |
|---|---|
| Version | CV [Constant Voltage] |
| Output Power | above 10 Watt |
| Output Current | 100 |
| Brand | Anway |


ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de


Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685











## ANWAY LED DRIVER AW02-600F22 20W 600MA 20-32V

**SKU:** 00011925

- Hohe Zuverlässigkeit & Effizienz
- Kurzschluss- & Überlastungsschutz
- Für den Innenbereich IP20
- Dimmbar & flimmerfrei

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 20 Watt |
| Output Current | 600 mA |
| Brand | Anway |


## ANWAY LED DRIVER AW06-700Z25 25W 700MA 29-36V

**SKU:** 00013753

- Flimmerfrei
- Hohe Zuverlässigkeit & Effizienz
- Für den Innenbereich IP20
- Kurzschluss- & Überlastungsschutz

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 20 Watt |
| Output Current | 700 mA |
| Brand | Anway |






## ANWAY LED DRIVER AW02-500G42 42W 500MA 50-84V

**SKU:** 00013755

- Flimmerfrei
- Dimmbar
- Für den Innenbereich IP20
- Kurzschluss- & Überlastungsschutz

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 40 Watt |
| Output Current | 500 mA |
| Brand | Anway |







## ANWAY LED DRIVER AW06-24VXML20 20W 150MA 24V CV


**SKU:** 00013745

- Flimmerfrei
- Hohe Zuverlässigkeit & Effizienz
- Für den Innenbereich IP20
- Kurzschluss- & Überlastungsschutz

| | |
|---|---|
| Version | CV [Constant Voltage] |
| Output Power | above 20 Watt |
| Output Current | 150 |
| Brand | Anway |



## ANWAY LED DRIVER AW06-1250G52 52W 1250MA 34-42V

**SKU:** 00013752

- Flimmerfrei
- Hohe Zuverlässigkeit & Effizienz
- Für den Innenbereich IP20
- Kurzschluss- & Überlastungsschutz

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 50 Watt |
| Output Current | 1250 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW06-12VXL40 40W 350MA 12V CV

**SKU:** 00013748

- Flimmerfrei
- Hohe Zuverlässigkeit & Effizienz
- Für den Innenbereich IP20
- Kurzschluss- & Überlastungsschutz

| | |
|---|---|
| Version | CV [Constant Voltage] |
| Output Power | above 40 Watt |
| Output Current | 350 mA |
| Brand | Anway |



## ANWAY LED DRIVER AW06-1500P60 60W 1500MA 33-40V

**SKU:** 00013764

- Flimmerfrei
- Hohe Zuverlässigkeit & Effizienz
- Für den Innenbereich IP20
- Kurzschluss- & Überlastungsschutz

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 60 Watt |
| Output Current | 1500 |
| Brand | Anway |



## ANWAY LED DRIVER AW06-1250P60 60W 1250MA 40-48V

**SKU:** 00013763

- Flimmerfrei
- Hohe Zuverlässigkeit & Effizienz
- Für den Innenbereich IP20
- Kurzschluss- & Überlastungsschutz

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 60 Watt |
| Output Current | 1250 mA |
| Brand | Anway |





ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685

## ANWAY AW04-3R100TD TOUCH-DIMMER 2-100W

**SKU:** 00013512

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- 3-step push dimming function

## ANWAY LED DRIVER AW02-1050G42 42W 1050MA 30-40V

**SKU:** 00013520

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 40 Watt |
| Output Current | 1050 mA |
| Brand | Anway |







## ANWAY LED DRIVER AW02-1000P65 65W 1000MA 30-65V

**SKU:** 00013516

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 60 Watt |
| Output Current | 1000 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW02-1000G26 26W 1000MA 12-26V

**SKU:** 00013510

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 20 Watt |
| Output Current | 1000 mA |
| Brand | Anway |

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685




## ANWAY LED DRIVER AW01-0020 24V 1300MA 30W

**SKU:** 00013508

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | above 30 Watt |
| Output Current | 1300 mA |
| Brand | Anway |




## ANWAY LED DRIVER AW02-700H18 15W 700MA 10-21V

**SKU:** 00011911

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 10 Watt |
| Output Current | 700 mA |
| Brand | Anway |

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685



## ANWAY LED DRIVER AW02-700G42 42W 700MA 35-60V

**SKU:** 00012998

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 40 Watt |
| Output Current | 700 mA |
| Brand | Anway |



## ANWAY LED DRIVER AW02-700G36 30W 700MA 30-42V

**SKU:** 00011934

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 30 Watt |
| Output Current | 700 mA |
| Brand | Anway |





ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685

## ANWAY LED DRIVER AW02-700F27 23W 700MA 20-32V

**SKU:** 00011927

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 20 Watt |
| Output Current | 700 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW02-700F18 15W 700MA 12-21V

**SKU:** 00011926

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 10 Watt |
| Output Current | 700 mA |
| Brand | Anway |







## ANWAY LED DRIVER AW02-700E12 12W 700MA 9-16V

**SKU:** 00011914

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 10 Watt |
| Output Current | 700 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW02-500G40 35W 500MA 50-70V

**SKU:** 00011930

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 30 Watt |
| Output Current | 500 mA |
| Brand | Anway |

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685



## ANWAY LED DRIVER AW02-500G32 26W 500MA 42-55V

**SKU:** 00011929

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 20 Watt |
| Output Current | 500 mA |
| Brand | Anway |



## ANWAY LED DRIVER AW02-500F24 21W 500MA 26-42V

**SKU:** 00011923

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 20 Watt |
| Output Current | 500 mA |
| Brand | Anway |

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685



## ANWAY LED DRIVER AW02-500F18 16W 500MA 20-32V

**SKU:** 00011922

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 10 Watt |
| Output Current | 500 mA |
| Brand | Anway |



## ANWAY LED DRIVER AW02-500E12 11W 500MA 12-21V

**SKU:** 00011915

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 10 Watt |
| Output Current | 500 mA |
| Brand | Anway |





ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685

## ANWAY LED DRIVER AW02-350H12 15W 350MA 30-42V

**SKU:** 00011908

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 10 Watt |
| Output Current | 350 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW02-350H09 11W 350MA 20-32V

**SKU:** 00011906

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 10 Watt |
| Output Current | 350 mA |
| Brand | Anway |







## ANWAY LED DRIVER AW02-350G30 37W 350MA 70-105V

**SKU:** 00011928

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 30 Watt |
| Output Current | 350 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW02-350F20 25W 350MA 52-70V

**SKU:** 00011921

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 20 Watt |
| Output Current | 350 mA |
| Brand | Anway |

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685




## ANWAY LED DRIVER AW02-350F15 20W 350MA 35-56V

**SKU:** 00011920

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 20 Watt |
| Output Current | 350 mA |
| Brand | Anway |




## ANWAY LED DRIVER AW02-350E09 11W 350MA 20-32V

**SKU:** 00011912

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 10 Watt |
| Output Current | 350 mA |
| Brand | Anway |

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685







## ANWAY LED DRIVER AW02-350E12 15W 350MA 28-42V

**SKU:** 00011913

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 10 Watt |
| Output Current | 350 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW02-350E06 8W 350MA 12-21V

**SKU:** 00011916

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | below 10 Watt |
| Output Current | 350 mA |
| Brand | Anway |







ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685

## ANWAY LED DRIVER AW01-0047 15W 12V CV

**SKU:** 00011870

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CV [Constant Voltage] |
| Output Power | above 10 Watt |
| Brand | Anway |

## ANWAY LED DRIVER AW01-0041 10W 700MA 3-14.5V

**SKU:** 00011865

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | above 10 Watt |
| Output Current | 700 mA |
| Brand | Anway |







## ANWAY LED DRIVER AW01-0039 30W 500MA 10-56V

**SKU:** 00011890

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 30 Watt |
| Output Current | 500 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW01-0036 10W 350MA 6V-34V

**SKU:** 00011864

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | above 10 Watt |
| Output Current | 350 mA |
| Brand | Anway |

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685




# ANWAY LED DRIVER AW01-0026 10W 350MA 6V-31.5V

**SKU:** 00011869

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | above 10 Watt |
| Output Current | 350 mA |
| Brand | Anway |




# ANWAY LED DRIVER AW01-0021 20W 1.81A 3-12.5V

**SKU:** 00011876

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | above 20 Watt |
| Output Current | 1800 mA |
| Brand | Anway |

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685



## ANWAY LED DRIVER AW01-0029 9W 350MA 6-31.5V

**SKU:** 00011843

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | below 10 Watt |
| Output Current | 350 mA |
| Brand | Anway |



## ANWAY LED DRIVER AW01-0034 10W 500MA 3-22V

**SKU:** 00011862

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | above 10 Watt |
| Output Current | 500 mA |
| Brand | Anway |





ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685

## ANWAY LED DRIVER AW01-0025 10W 700MA 3V-14.5V3

**SKU:** 00011868

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | above 10 Watt |
| Output Current | 700 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW01-0023 12W 1A/1000MA 3-12.5V

**SKU:** 00011866

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | above 10 Watt |
| Output Current | 1000 mA |
| Brand | Anway |







## ANWAY LED DRIVER AW01-0017 30W 700MA 10-42V

**SKU:** 00011887

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 30 Watt |
| Output Current | 700 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW01-0022 30W 2.5A 3V-12.5V

**SKU:** 00011889

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 30 Watt |
| Output Current | 2500 mA |
| Brand | Anway |

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685




## ANWAY LED DRIVER AW01-0016 15W 700MA 6-25V

**SKU:** 00011874

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | above 10 Watt |
| Output Current | 700 mA |
| Brand | Anway |




## ANWAY LED DRIVER AW01-0013A 10W 700MA 3-16V

**SKU:** 00011840

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | above 10 Watt |
| Output Current | 700 mA |
| Brand | Anway |

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685



## ANWAY LED DRIVER AW01-0012 3W 700MA 2-3.8V

**SKU:** 00011835

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | below 10 Watt |
| Output Current | 700 mA |
| Brand | Anway |



## ANWAY LED DRIVER AW01-0011 30W 350MA 20V-100V

**SKU:** 00011886

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 30 Watt |
| Output Current | 350 mA |
| Brand | Anway |





ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685

## ANWAY LED DRIVER AW01-0037 15W 500MA 6-28V

**SKU:** 00011883

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | above 10 Watt |
| Output Current | 500 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW01-0009 15W 350MA 6V-60V

**SKU:** 00011872

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 10 Watt |
| Output Current | 350 mA |
| Brand | Anway |







## ANWAY LED DRIVER AW01-0008 12W 350MA 6V-50V

**SKU:** 00011871

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 10 Watt |
| Output Current | 350 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW01-0007 6W 350MA 6-25V

**SKU:** 00011857

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | below 10 Watt |
| Output Current | 350 mA |
| Brand | Anway |

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685







## ANWAY LED TREIBER AW01-0001 3.6W/350MA/12.5V

**SKU:** 00011834

- High reliability & efficiency
- Short circuit & overload protection
- For indoor use IP20
- Not dimmable

| | |
|---|---|
| Version | CC [Constant Current], CV [Constant Voltage] |
| Output Power | below 10 Watt |
| Output Current | 350 mA |
| Brand | Anway |

## ANWAY LED DRIVER AW02-700G48 40W 700MA 35-56V

**SKU:** 00011933

- High reliability & efficiency
- Short circuit & overload protection
- for indoor use IP20
- Dimmable

| | |
|---|---|
| Version | CC [Constant Current] |
| Output Power | above 40 Watt |
| Output Current | 700 mA |
| Brand | Anway |

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685

# INDEX

Anway AW04-3R100TD Touch-Dimmer 2-100W 11
Anway LED driver AW01-0007 6W 350mA 6-25V 27
Anway LED driver AW01-0008 12W 350mA 6V-50V 27
Anway LED driver AW01-0009 15W 350mA 6V-60V 26
Anway LED driver AW01-0011 30W 350mA 20V-100V 26
Anway LED driver AW01-0012 3W 700mA 2-3.8V 26
Anway LED driver AW01-0013A 10W 700mA 3-16V 25
Anway LED driver AW01-0016 15W 700mA 6-25V 25
Anway LED driver AW01-0017 30W 700mA 10-42V 24
Anway LED driver AW01-0020 24V 1300mA 30W 13
Anway LED driver AW01-0021 20W 1.81A 3-12.5V 22
Anway LED driver AW01-0022 30W 2.5A 3V-12.5V 24
Anway LED driver AW01-0023 12W 1A/1000mA 3-12.5V 23
Anway LED driver AW01-0025 10W 700mA 3V-14.5V3 23
Anway LED driver AW01-0026 10W 350mA 6V-31.5V 22
Anway LED driver AW01-0029 9W 350mA 6-31.5V 23
Anway LED driver AW01-0034 10W 500mA 3-22V 23
Anway LED driver AW01-0036 10W 350mA 6V-34V 21
Anway LED driver AW01-0037 15W 500mA 6-28V 26
Anway LED driver AW01-0039 30W 500mA 10-56V 21
Anway LED driver AW01-0041 10W 700mA 3-14.5V 20
Anway LED driver AW01-0047 15W 12V CV 20
Anway LED driver AW02-1000G26 26W 1000mA 12-26V 12
Anway LED driver AW02-1000P65 65W 1000mA 30-65V 12
Anway LED driver AW02-1050G42 42W 1050mA 30-40V 11
Anway LED driver AW02-24VN75 75W 500mA 24V CV 1
Anway LED driver AW02-350E06 8W 350mA 12-21V 19
Anway LED driver AW02-350E09 11W 350mA 20-32V 19
Anway LED driver AW02-350E12 15W 350mA 28-42V 19
Anway LED driver AW02-350F15 20W 350mA 35-56V 19
Anway LED driver AW02-350F20 25W 350mA 52-70V 18
Anway LED driver AW02-350G30 37W 350mA 70-105V 18
Anway LED driver AW02-350H09 11W 350mA 20-32V 17
Anway LED driver AW02-350H12 15W 350mA 30-42V 17
Anway LED driver AW02-500E12 11W 500mA 12-21V 16
Anway LED driver AW02-500F18 16W 500mA 20-32V 16
Anway LED driver AW02-500F24 21W 500mA 26-42V 16
Anway LED driver AW02-500G32 26W 500mA 42-55V 16
Anway LED driver AW02-500G40 35W 500mA 50-70V 15
Anway LED driver AW02-500G42 42W 500mA 50-84V 9
Anway LED driver AW02-500SL21 21W 500mA 26-42V 4
Anway LED driver AW02-600F22 20W 600mA 20-32V 8
Anway LED driver AW02-700E12 12W 700mA 9-16V 15
Anway LED driver AW02-700F18 15W 700mA 12-21V 14

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685

Anway LED driver AW02-700F27 23W 700mA 20-32V  14
Anway LED driver AW02-700G36 30W 700mA 30-42V  14
Anway LED driver AW02-700G42 42W 700mA 35-60V  14
Anway LED driver AW02-700G48 40W 700mA 35-56V  28
Anway LED driver AW02-700H18 15W 700mA 10-21V  13
Anway LED driver AW06-1250G52 52W 1250mA 34-42V  10
Anway LED driver AW06-1250P60 60W 1250mA 40-48V  11
Anway LED driver AW06-12VE15 15W 100mA 12V CV  7
Anway LED driver AW06-12VXL40 40W 350mA 12V CV  6, 10
Anway LED driver AW06-1500P60 60W 1500mA 33-40V  11
Anway LED driver AW06-24SL20 20W 250mA 24V CC  3
Anway LED driver AW06-24VC12 12W 800mA 24V CV  5
Anway LED driver AW06-24VC15 15W 100mA 24V CV  3
Anway LED driver AW06-24VE15 15W 100mA 24V CV  5
Anway LED driver AW06-24VG50 50W 350mA 24V CV  1
Anway LED driver AW06-24VXML20 20W 150mA 24V CV  9
Anway LED driver AW06-300R07 7W 300mA 12-24V  3
Anway LED driver AW06-350R07 7W 350mA 10-20V  2
Anway LED driver AW06-500C15 15W 500mA 15-30V  3
Anway LED driver AW06-500J20 20W 500mA 20-40V  7
Anway LED driver AW06-700C12 12W 700mA 9-18V  2
Anway LED driver AW06-700J20 20W 700mA 15-29V  4
Anway LED driver AW06-700R07 7W 700mA 3-11V  6
Anway LED driver AW06-700Z25 25W 700mA 29-36V  8
Anway LED Treiber AW01-0001 3.6W/350mA/12.5V  28

ECONLUX GmbH
Welserstrasse 154
D-51149 Cologne, Germany
Fon: +49 (0)2203 / 185 02-0
Fax: +49 (0)2203 / 185 02-23
Mail: info(at)econlux.de

Amtsgericht Köln HRB 63667
Managing Director: Daniel Stöbe
USt-IdNr.: DE260877170
WEEE- Reg.-Nr. DE 39263685